


CHAIR

5403, 5404, 5408, 5413
5415, 5416, 5420, 5424
5426, 5437, 5441, 5443



A - MEN'S COMPARTMENT - SEAT CAR 44

B - MEN'S LOUNGE

C - WOMEN'S LOUNGE

D - LUGGAGE & PILLOW LOCKER

E - TOILET

F - CHAIRS

G - WASHER/DRYER

H - CONDUCTOR'S DESK

J - ELECTRIC LOCKER

X - A.C. CONTROL CABINET

L - LUGGAGE RACK

M - VANITY SEAT

N - PORTER'S LOCKER

O - HAND BRAKE

P - DENTAL BOWL

R - DROP TABLE

S - FIRST AID CABINET

T - WRECKING TOOLS ABOVE WINDOW

U - PORTIERE

V - SEATS REVOLVING & RECLINING WITH LEG RESTS

W - CONDUCTOR'S LOCKER

X - ILLUM. CAR NO. SIGN

Y - FIRE EXTINGUISHER

Z - ELECTRIC WATER COOLER

1 - VENT

2 - FRESH AIR INTAKE

3 - CONDENSER - FRIGIDAIRE

4 - COMPRESSOR - FRIGIDAIRE

5 - SUPPLY RESERVOIRS

6 - WATER TANKS 200 GAL. EACH

7 - BATTERY BOX

8 - GENERATOR - G.E. 20-25 KW

9 - SPICER DRIVE

10 - BATT. CHARGING RECT.

11 - A.P.M.S. RESERVOIR

ROLLER BEARINGS

AXLES 6x11 A.A.R.

WATER SYSTEM - AIR PRESSURE

1/8" RUBBER FLOOR COVERING

DRAFT GLARS - WAUGHMAT TWIN CUSHION

A.C. - FRIGIDAIRE - 12M. 1950

TRUCKS - O.S.H. WITH CFM OR TFM


Budd DISC BRAKES

BUILT BY R.S.C.M. CO. 1950

FLOOR PLAN 237 CB 25397

PURCHASED FROM U.P. DEC. 1971

DENVER & RIO GRANDE WESTERN R.R.
BAGGAGE-DORMITORY-COACHES No's. 1230, 1231



GAUGE ----- 4'-8 1/2"
JOURNALS ----- HYATT ROLLER BEARINGS-6" X 11"
WHEELS ----- 36" ROLLED STEEL
TRUCK GEN. STEEL CASTINGS CO.-EQUALIZED & STABILIZED

SUPERSTRUCTURE ----- HIGH TENSILE, LOW ALLOY STEEL
FLUTED SECTIONS ----- STAINLESS STEEL
UNDERFRAME ----- HIGH TENSILE, LOW ALLOY STEEL
INSULATION-GUSTIN-BACON "ULTRALITE" ----- FIBREGLASS
INSULATION-JOHNS-MANVILLE -TYPE A ----- STONEFELT

AIR BRAKES ----- H.S.C.-PNEUMATIC-WESTINGHOUSE
HAND BRAKE ----- NATIONAL BRAKE CO.
CLASP BRAKES ----- AMERICAN STEEL FOUNDRIES
ANTI-WHEEL SLIDE DEVICE ----- AMERICAN BRAKE SHOE CO.
DRAFT GEAR (RUBBER) ----- WAUGH EQUIPMENT CO.
COUPLER-NAT. MALL. & STEEL CASTINGS CO.-TIGHTLOCK

AIR CONDITIONING (DORM. COMP.) ----- SAFETY INDUSTRIES INC.
AIR CONDITIONING (COACH COMPARTMENT) ----- FRIGIDAIRE
HEATING SYSTEM-LOW PRESSURE ----- VAPOR
LIGHTING SYSTEM ----- GE 30/35 KW GENERATOR
GENERATOR DRIVE ----- SPICER
BATTERY ----- 64 VOLT


SEATS (REVENUE)-HEYWOOD-WAKEFIELD-REVOL.-RECLIN. ----- 12
SEATING CAPACITY (REVENUE) ----- 24
SEATING CAPACITY (TOTAL) ----- 25

LIGHT WEIGHT, LBS., AV. ----- 130,000
YEAR BUILT ----- 1950
BUILDERS ----- PULLMAN STANDARD

REISSUE
JAN. 2, 1960
JAN. 2, 1966.

BAGGAGE

6306, 6308, 6310





A - BAGGAGE ROOM
 B - TOILET
 C - LAVATORY
 D - HOPPER
 E - ELECTRIC LOCKER
 F - WATER COOLER
 G - PAPER TOWEL CABT-USED BELOW
 H - WARDROBE
 J - DESK
 K - CONDUCTORS VALVE
 L - FISH RACKS-REMOVABLE
 M - FLOOR DRAINS WITH PLUGS
 N - HEATER PIPE GUARDS
 O - FIRE EXTINGUISHER

P - FIRE TOOLS
 Q - STRETCHER HOOKS ABOVE
 R - DOOR-GUARD
 S - STANCHIONS
 T - HANDBRAKE
 U - FIRST AID KIT
 V - DOOR OPENING DEVICE
 W - BAGGAGE ROLLERS
 X - BATTERY BOX
 Y - COMBINED RES.
 Z - AIR SUPPLY RES.
 1 - GENERATOR
 2 - SPICER DRIVE

ROLLER BEARINGS
 AXLES - 6 X 11-A.A.R.
 STEAM HEAT-VAPOR CO.
 MREOLITE WOOD BLOCK FLOORING
 COUPLERS-TIGHT LOCK-TYPE-H
 DRAFT GEAR-WAUGHMATT TWIN CUSHION
 TRUCKS-O.S.H. WITH TFM.BUDD DISC BRAKES
 BUILT A.C.F. 1961
 FLOOR PLAN 237-CB-29872
 PURCHASED FROM U.P. DEC. 1971
 LOT 5529

DENVER & RIO GRANDE WESTERN R.R.
BUFFET-DORMITORY CAR-SILVER SHOP No. 1140



REISSUE
JAN. 2, 1950
JULY 1, 1961
JAN. 2, 1966

GAUGE ----- 4'-8 1/2"
JOURNALS ----- TIMKEN ROLLER BEARINGS - 6" X 11"
WHEELS ----- 36" ROLLED STEEL
TRACK ----- GEN. STEEL CASTINGS CO. - EQUALIZED & STABILIZED

WATER SUPPLY ----- 300 GALS.

SUPERSTRUCTURE (SHOTWELD CONST.) ----- STAINLESS STEEL
FLUTED SECTIONS ----- STAINLESS STEEL
UNDERFRAME ----- STEEL


INSULATION ----- SUPERLITE - FIBREGLOSS

AIR BRAKES ----- H.S.C. - PNEUMATIC - WESTINGHOUSE
HAND BRAKE ----- NATIONAL BRAKE CO.
DISC BRAKES ----- THE BUDD CO.
ANTI-WHEEL SLIDE DEVICE ----- AMERICAN BRAKE SHOE CO.
DRAFT GEAR (RUBBER) ----- WAUGH EQUIPMENT CO.
COUPLER ----- NAT'L MALL. & STEEL CASTINGS CO. - TIGHTLOCK

AIR CONDITIONING ----- FRIGIDAIRE
HEATING SYSTEM ----- LOW PRESSURE - VAPOR
LIGHTING SYSTEM {FLUORESCENT } ----- SAFETY-25 KW GEN.
{8 INCANDESCENT }




GENERATOR DRIVE ----- SPICER
BATTERY ----- 32 VOLT
BERTHS ----- 3
SEATING CAPACITY - DOME ----- 24
SEATING CAPACITY - FLOOR LEVEL ----- 26
CAPACITY - DORMITORY ----- 15
CAPACITY - STEWARD'S COMPARTMENT ----- 2
CAPACITY - HOSTESS'S COMPARTMENT ----- 1
LIGHT WEIGHT, LBS., AV. ----- 163,450
YEAR BUILT ----- 1948
BUILDERS ----- THE BUDD CO.



DENVER & RIO GRANDE WESTERN R.R.
BEDROOM-OBSERVATION CAR-SILVER SKY- No. 1145



REISSUE
JAN. 2, 1950
JULY 1, 1961
JAN. 2, 1966.

GAUGE	4'-6 1/2"	SUPERSTRUCTURE (SLOTWELD CONST.)	STAINLESS STEEL	AIR CONDITIONING	FRIGITAIRE
JOURNALS	TINKER ROLLER BEARINGS-6" x 11"	FINED SECTIONS	STAINLESS STEEL	HEATING SYSTEM	LOW PRESSURE-VAPOR
WHEELS	36" ROLLED STEEL	UNDERFRAME	STEEL	LIGHTING SYSTEM	{ FLUORESCENT } SAFETY-25 KW GEN.
TRUCK	GEN. STEEL CASTINGS CO.-EQUALIZED & STABILIZED	INSULATION	SUPERLITE-FIBREGLASS	GENERATOR DRIVE	SPICER
				BATTERY	32 VOLT
		AIR BRAKES	H.S.C. PNEUMATIC-WESTINGHOUSE	SEATING CAPACITY-DOME	24
		HAND BRAKE	NATIONAL BRAKE CO.	SEATING CAPACITY-FLOOR LEVEL	25
		DISC BRAKES	THE BUDD CO.	SEATING CAPACITY-TOTAL	49
		ANTI-WHEEL SLIDE DEVICE	AMERICAN BRAKE SHOE CO.	BEDROOM CAPACITY-REVENUE	9
		DRAFT GEAR (BUDDER)	WAGB EQUIPMENT CO.	LIGHT WEIGHT, LBS.	151,000
WATER SUPPLY	500 GALS.	COUPLER-NATL. MALL. B STEEL CASTINGS CO.-TIGHTLOCK		YEAR BUILT	1948
				BUILDERS	THE BUDD CO.






Floor plans and side view of Archison, Topeka & Santa Fe full length dome-observation coach. Builder, The Budd Company.

OBSERVATION LOUNGE


U. P.

15 CARS 9000-9014



- A - OBSERVATION LOUNGE - CAP. 19
- B - COCKTAIL LOUNGE - CAP. 9
- C - CARD ROOM - CAP. 5
- D - DOME - CAP. 24
- E - BAR
- F - FOYER
- G - CHAIR
- H - TABLE
- I - SETTEE

- L - MAGAZINE TABLE
- M - MIRROR-WRITING DESK & CHAIR
- N - PHONE CONTROL BOX
- O - STORAGE LOCKER-BEER
- P - LIQUOR STORAGE
- Q - SINKS
- R - ICE CUBE BIN
- S - WORK TOP-LOCKER BELOW
- T - GLASS STORAGE BELOW-LIQUOR ABOVE
- U - LOUDSPEAKER
- V - A.C. LOCKER
- W - ELECTRIC LOCKER
- X - A.C. DUCT
- Y - PUBLIC ADDRESS SYSTEM
- Z - PLATFORM DOWN



- 1 - A.C. UNIT-LOW LEVEL
- 2 - A.C. UNIT-DOME
- 3 - SLIDING DOOR
- 4 - HANDBRAKE
- 5 - FIRE EXTINGUISHER
- 6 - FIRST AID KIT
- 7 - WRECKING TOOL CASE ABOVE
- 8 -
- 9 - LIGHTED STAIRWAY
- 10 - DIESEL FUEL TANK
- 11 - 80 GAL. WATER TANK
- 12 - BATTERY BOX
- 13 - EVAPORATIVE CONDENSER
- 14 - WAUKESHA ENGINEATOR
- 15 - SCH&L CO. COMPRESSOR
- 16 - HANDRAIL
- 17 - AERIAL
- 18 - FRESH AIR INTAKE
- 19 - WINDOW IN PARTITION
- 20 - LOW PARTITION

AXLES 8 1/2" X 12"
STEAM HEAT-FLOOR & OVERHEAD
VAPOR HEATING CORP.
A.P. WATER SYSTEM

A.C. - SAFETY E.M.
TIGHT LOCK COUPLERS
DRAFT GEAR TWIN WAUGHMATS
BUILT A.C.F. Co. - 1955
FLOOR PLAN 235-CB-31669

CARS FITTED FOR
MID TRAIN SERVICE - 1956

UNION PACIFIC RAILROAD CO.
RESEARCH AND
MECHANICAL STANDARDS

3-2	2-10	2-15	7-23	4-10	DIAGRAM
59	57	54	54	54	P-10-8
D	C	B	A	3-1-55	DRAWN

LOT NO. 4098